




**essential** POWER CORDS

CORD SET  
INTERCONNECTION CORD SET  
**powerCON® FXX**



**TRUST  
THE  
ORIGINAL**

**NEUTRIK®**

A brand of the Neutrik Group


---

# essential POWER CORDS

---



*Experience full compliance, unwavering reliability,  
and top-notch safety, all within your budget.*



- ★ HIGHLY RELIABLE
- ★ FULLY COMPLIANT
- ★ MADE IN EUROPE
- ★ BEST PRICE



---

# QUALITY, RELIABILITY AND SAFETY

---

## COMPLIANCE MATTERS

The new NEUTRIK powerCON FXX series connectors proudly carry the IEC-EN 60320-1 certification, complying with all required norms and standards. You can trust that your equipment is in good hands with NEUTRIK.

## SAFETY FIRST

At NEUTRIK, we prioritize your safety above all else. Our cables are rigorously tested and certified to ensure they meet the highest safety standards in the industry.

## EXPERIENCE RELIABILITY

These cords guarantee the top-tier reliability. Embrace confidence with our cutting-edge ruggedized powerCON FXX connectors paired with high-quality cables.

## EUROPEAN CRAFTSMANSHIP

Our cables are proudly produced in Europe, adhering to the highest manufacturing standards. European production guarantees precision, quality, and reliability that you can count on

## BEST PRICE


We prioritize high quality, unmatched safety standards, and cost efficiency! With our in-house connectors manufacturing and state-of-the-art, cost-effective power cord production site, we bring you affordable prices that redefine value for money.



**TRUST  
THE  
ORIGINAL**

# essential powerCON<sup>®</sup> FXX POWER CORDS

## INTERCONNECTION CORD SET (NKPH01/02/11-A4A3-\*)



EN IEC 60799

EN IEC 60320-1

BREAKING CAPACITY

H07RN-F



H05VV-F

3 x 2,5mm<sup>2</sup>

3 x 1,5mm<sup>2</sup>

IP20

## CORD SET (NKPH01/02-MFA3-\*)



EN IEC 60799

EN IEC 60320-1

BREAKING CAPACITY

ANTI KINK PROTECTION



H07RN-F

3 x 2,5mm<sup>2</sup>

3 x 1,5mm<sup>2</sup>

IP20

## CORD SET (NKPH11-MFA3-\*)



EN IEC 60799

EN IEC 60320-1

BREAKING CAPACITY

H05VV-F

3 x 1,5mm<sup>2</sup>

IP20

## REWIRABLE CORDS

### INTERCONNECTION CORD SETS

Order No.	Product name	Connector 1	Connector 2	Cable type	Conductor	Length
1036398	NKPH01-A4A3-M0100	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G1.5	1,5 mm <sup>2</sup>	1 m
1036399	NKPH01-A4A3-M0150	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G1.5	1,5 mm <sup>2</sup>	1,5 m
1036400	NKPH01-A4A3-M0200	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G1.5	1,5 mm <sup>2</sup>	2 m
1036401	NKPH01-A4A3-M0300	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G1.5	1,5 mm <sup>2</sup>	3 m
1036402	NKPH01-A4A3-M0500	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G1.5	1,5 mm <sup>2</sup>	5 m
1036403	NKPH01-A4A3-M1000	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G1.5	1,5 mm <sup>2</sup>	10 m
1036404	NKPH02-A4A3-M0100	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G2.5	2,5 mm <sup>2</sup>	1 m
1036405	NKPH02-A4A3-M0150	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G2.5	2,5 mm <sup>2</sup>	1,5 m
1036406	NKPH02-A4A3-M0200	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G2.5	2,5 mm <sup>2</sup>	2 m
1036407	NKPH02-A4A3-M0300	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G2.5	2,5 mm <sup>2</sup>	3 m
1036408	NKPH02-A4A3-M0500	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G2.5	2,5 mm <sup>2</sup>	5 m
1036409	NKPH02-A4A3-M1000	powerCON NAC3FXXB	powerCON NAC3FXXA	H07RN-F3G2.5	2,5 mm <sup>2</sup>	10 m
1036414	NKPH11-A4A3-M0100	powerCON NAC3FXXB	powerCON NAC3FXXA	H05VV-F3G1.5	1,5 mm <sup>2</sup>	1 m
1036415	NKPH11-A4A3-M0150	powerCON NAC3FXXB	powerCON NAC3FXXA	H05VV-F3G1.5	1,5 mm <sup>2</sup>	1,5 m
1036416	NKPH11-A4A3-M0200	powerCON NAC3FXXB	powerCON NAC3FXXA	H05VV-F3G1.5	1,5 mm <sup>2</sup>	2 m
1036417	NKPH11-A4A3-M0300	powerCON NAC3FXXB	powerCON NAC3FXXA	H05VV-F3G1.5	1,5 mm <sup>2</sup>	3 m
1036418	NKPH11-A4A3-M0500	powerCON NAC3FXXB	powerCON NAC3FXXA	H05VV-F3G1.5	1,5 mm <sup>2</sup>	5 m
1036419	NKPH11-A4A3-M1000	powerCON NAC3FXXB	powerCON NAC3FXXA	H05VV-F3G1.5	1,5 mm <sup>2</sup>	10 m

## REWIRABLE CORDS

### CORD SETS

Order No.	Product name	Connector 1	Connector 2	Cable type	Conductor	Length
1036410	NKPH01-MFA3-M0150	Schuko E+F anti-kink	powerCON NAC3FXXA	H07RN-F3G1.5	1,5 mm <sup>2</sup>	1,5 m
1036411	NKPH01-MFA3-M0300	Schuko E+F anti-kink	powerCON NAC3FXXA	H07RN-F3G1.5	1,5 mm <sup>2</sup>	3 m
1036412	NKPH02-MFA3-M0150	Schuko E+F anti-kink	powerCON NAC3FXXA	H07RN-F3G2.5	2,5 mm <sup>2</sup>	1,5 m
1036413	NKPH02-MFA3-M0300	Schuko E+F anti-kink	powerCON NAC3FXXA	H07RN-F3G2.5	2,5 mm <sup>2</sup>	3 m
1036420	NKPH11-MFA3-M0150	Schuko E+F	powerCON NAC3FXXA	H05VV-F3G1.5	1,5 mm <sup>2</sup>	1,5 m
1036421	NKPH11-MFA3-M0300	Schuko E+F	powerCON NAC3FXXA	H05VV-F3G1.5	1,5 mm <sup>2</sup>	3 m

## ACCESSORIES

### FOR CABLE CONNECTOR



SCNAC-FX

SCNAC-FX	Rubber cover (female)
----------	-----------------------



# essential

## FEATURES AND BENEFITS

CE



**Dismountable with special tools only**  
(acc. EN IEC60320)


**Durable high-quality rubber jacketed cables**



**Rugged and durable design**

**Circuit Breaking Capacity (CBC) Connector**  
(acc. EN IEC60320)

- powerCON FXX Series connector with CBC (Circuit Breaking Capacity)
- Fully norm compliant acc. EN IEC 60799 / EN IEC 60320-1
- High quality H07RN-F and H05VV-F cables with conductor cross section of 1.5mm<sup>2</sup> and 2.5mm<sup>2</sup>
- Highly reliable and cost effective
- Manufactured in Europe






### LIECHTENSTEIN (HEADQUARTERS)

Neutrik AG, Im alten Riet 143,  
9494 Schaan, Liechtenstein

T +423 237 24 24, F +423 232 53 93, neutrik@neutrikgroup.com



Power cords essential series Folder – NF36 – 2023 12 – Data subject to change without prior notice. © 2023 NEUTRIK®.  
NEUTRIK®, powerCON® are registered trademarks of Neutrik AG. ALL RIGHTS RESERVED.

[www.neutrik.com](http://www.neutrik.com)

**NEUTRIK®**

A brand of the Neutrik Group